

Configuration of 4-1/2" x 4-1/2" Stainless Steel K51M-450 Product Line
 Go wateronusa.com/quote to request a quotation.

Hinge Type	DIM (H x W) Model	Door Thickness	Model	Gauge	Radius
Full mortise	4-1/2"x4-1/2"	1-3/4"	K51M-450	0.130"/3.3 MM	Square, 1/4R, 5/8R

Door Size	Product SKU Full mortise 4.5x4.5	FEATURES			Closing Type Mechanical Only - M Hydraulic Hybrid- H	Hinge Qty Hinge Type	Finish
		Self-closing	Fluid Motion Door Range ≤ 120°	Hold-open 90°			
1-3/4" < 7'0 x 4'0 ≤ 260 lbs	K51M-450-A3	●			M	3 hinges/door (SA.SA.SA1)	<u>Stocking</u> US32D-630- Satin Brushed Matching-USL1-631- Matte Black
	K51M-450-B3	●	●		H	3 hinges/door (DS.HA.SA1)	
	K51M-450-C3	●		●	M	3 hinges/door (SB.SA.SA1)	
	K51M-450-D3	●	●	●	H	3 hinges/door (DS.HA.SB)	
1-3/4" < 8'0 x 4'0 ≤ 260 lbs	K51M-450-C4	●		●	M	4 hinges/door (SB.SA.SA.SA1)	<u>Special Order</u> Matching-US10B- 640- Oil Rubbed Bronze
	K51M-450-D4	●	●	●	H	4 hinges/door (DS.HA.SB.SA1)	
1-3/4" < 8'0 x 4'0 ≤ 330 lbs	K51M-450-A4	●			M	4 hinges /door (DS,SA,SA,SA1)	Matching-US15- 619-Satin Brass
	K51M-450-B4	●	●		H	4 hinges/door (DS.HA.SA.SA1)	

* We provide additional door stop (at 90°) features for all models. Email hinges@wateronusa.com to request a quotation.

** Click [here](#) to learn more about closing types, or watch [video](#)

DATE : 2020-AUG-14

Configuration of 4" x 4" Stainless Steel K51M-400 Product Line
 Go wateronusa.com/quote to request a quotation.

Hinge Type	DIM (H x W) Model	Door Thickness	Model	Gauge	Radius
Full mortise	4" x 4"	1-3/8"	K51M-400	0.130"/3.30 MM	Square, 1/4R, 5/8R

Door Size	Product SKU Full mortise 4 x 4	FEATURES			Closing Type Mechanical Only - M Hydraulic Hybrid- H	Hinge Qty Hinge Type	Finish
		Self-closing	Fluid Motion Door Range ≤ 120°	Hold-open 90°			
1-3/8" < 7'0 x 4'0 ≤ 260 lbs	K51M-400-A3	●			M	3 hinges/door (SA.SA.SA1)	<u>Stocking</u> US32D-630- Satin Brushed Matching-USL1-631- Matte Black
	K51M-400-B3	●	●		H	3 hinges/door (DS.HA.SA1)	
	K51M-400-C3	●		●	M	3 hinges/door (SB.SA.SA1)	
	K51M-400-D3	●	●	●	H	3 hinges/door (DS.HA.SB)	
1-3/8" < 8'0 x 4'0 ≤ 260 lbs	K51M-400-C4	●		●	M	4 hinges/door (SB.SA.SA.SA1)	<u>Special Order</u> Matching-US10B- 640- Oil Rubbed Bronze
	K51M-400-D4	●	●	●	H	4 hinges/door (DS.HA.SB.SA1)	
1-3/8" < 8'0 x 4'0 ≤ 330 lbs	K51M-400-A4	●			M	4 hinges /door (DS,SA,SA,SA1)	Matching-US15- 619-Satin Brass
	K51M-400-B4	●	●		H	4 hinges/door (DS.HA.SA.SA1)	

* We provide additional door stop (at 90°) features for all models. Email hinges@wateronusa.com to request a quotation..

** Click [here](#) to learn more about closing types, or watch [video](#)

DATE : 2020-AUG-14

Configuration of 5" x 5" Stainless Steel K51M-500D Product Line
 Go wateronusa.com/quote to request a quotation.

Hinge Type	DIM (H x W) Model	Door Thickness	Model	Gauge	Radius
Full mortise	5" x 5"	1-3/4"~2-1/2"	K51M-500D	0.190" / 4.83 MM	Square, 1/4R, 5/8R

Door Size	Product SKU Full mortise 5 x 5	FEATURES			Closing Type Mechanical Only - M Hydraulic Hybrid- H	Hinge Qty Hinge Type	Finish
		Self-closing	Fluid Motion Door Range ≤ 120°	Hold-open 90°			
1-3/4"~2-1/2" < 7'0 x 4'0 ≤ 260 lbs	K51M-500D-A3	●			M	3 hinges/door (SA.SA.SA1)	<u>Stocking</u> US32D-630- Satin Brushed Matching-USL1- 631-Matte Black
	K51M-500D-B3	●	●		H	3 hinges/door (DS.HA.SA1)	
	K51M-500D-C3	●		●	M	3 hinges/door (SB.SA.SA1)	
	K51M-500D-D3	●	●	●	H	3 hinges/door (DS.HA.SB)	
1-3/4"~2-1/2" < 8'0 x 4'0 ≤ 260 lbs	K51M-500D-C4	●		●	M	4 hinges/door (SB.SA.SA.SA1)	<u>Special Order</u> Matching-US10B- 640- Oil Rubbed Bronze
	K51M-500D-D4	●	●	●	H	4 hinges/door (DS.HA.SB.SA1)	
1-3/4"~2-1/2" < 8'0 x 4'0 ≤ 330 lbs	K51M-500D-A4	●			M	4 hinges /door (DS,SA,SA,SA1)	Matching-US15- 619-Satin Brass
	K51M-500D-B4	●	●		H	4 hinges/door (DS.HA.SA.SA1)	

* We provide additional door stop (at 90°) features for all models. Email hinges@wateronusa.com to request a quotation.

** Click [here](#) to learn more about closing types, or watch [video](#)

Configuration of 4-1/2" x 4-1/2" Stainless Steel K51L-SWRH Product Line

Go wateronusa.com/quote to request a quotation.

Hinge Type	DIM (H x W) Model	Door Thickness	Model	Gauge	Radius
Swing Clear	4-1/2"x4-1/2"	1-3/4"	K51L-SWRH-450	0.130"/3.3 MM	Square, 1/4R, 5/8R

Door Size	Product SKU Right handed Swing Clear 4.5x4.5	FEATURES			Closing Type Mechanical Only - M Hydraulic Hybrid- H	Hinge Qty Hinge Type	Finish
		Self-closing	Fluid Motion Door Range ≤ 120°	Hold-open 90°			
1-3/4" < 7'0 x 4'0 ≤ 260 lbs	K51L-SWRH-450-A3	●			M	3 hinges/door (SA.SA.SA1)	<u>Stocking</u> US32D-630- Satin Brushed Matching-USL1- 631-Matte Black
	K51L-SWRH-450-B3	●	●		H	3 hinges/door (DS.HA.SA1)	
	K51L-SWRH-450-C3	●		●	M	3 hinges/door (SB.SA.SA1)	
	K51L-SWRH-450-D3	●	●	●	H	3 hinges/door (DS.HA.SB)	
1-3/4" < 8'0 x 4'0 ≤ 260 lbs	K51L-SWRH-450-C4	●		●	M	4 hinges/door (SB.SA.SA.SA1)	<u>Special Order</u> Matching-US10B- 640- Oil Rubbed Bronze
	K51L-SWRH-450-D4	●	●	●	H	4 hinges/door (DS.HA.SB.SA1)	
1-3/4" < 8'0 x 4'0 ≤ 330 lbs	K51L-SWRH-450-A4	●			M	4 hinges /door (DS,SA,SA,SA1)	Matching-US15- 619-Satin Brass
	K51L-SWRH-450-B4	●	●		H	4 hinges/door (DS.HA.SA.SA1)	

* We provide additional door stop (at 90°) features for all models. Email hinges@wateronusa.com to request a quotation.

** Click [here](#) to learn more about closing types, or watch [video](#)

DATE : 2020-AUG-14